Index to Volume 14

Author Index

- A -

ACCP 1994 Annual Meeting: Abstracts and Index of Authors, 345
ACCP: The Strategic Plan of the American College of Clinical Pharmacy, 1994–1996, 337
ACCP White Paper: Establishing and Evaluating Clinical Pharmacy Services in Primary Care, 743
Ackerman BH, Tsung FW: Red-Top Tubes Do Not Displace Drug From Protein-Binding Sites, 126
Adams MB: see Whipple JK, et al, 105
Adams, Jr, KF: see Patterson JH, et al, 514
Adler LP: see Bednarczyk EM, et al, 153
Adolfsson C: see Boström AAS, et al, 305
Andrews W: see Whipple JK, et al, 105
Applefeld MM: see Patterson JH, et al, 514
Arnold RJ, Kaniecki DJ, Frishman WH: Cost-Effectiveness of Antihypertensive Agents in Patients With Reduced Left Ventricular Function, 178
Aursnes I, Midtbø K: Correlations of Exercise Test and Quality of Life Variables With Clinical Improvement in Effort Angina, 191
Ausman RK: see Whipple JK, et al, 105

- B -

Babhulkar SS: see Naidu MUR, et al, 173
Babu PA: see Naidu MUR, et al, 173
Baker JL, Gosland MP, Herrington JD, Record KE: Cytomegalovirus Colitis After 5-Fluorouracil and Interferon-α Therapy, 246
Bartlett JA: see May DB, et al, 509
Bates JA: see Forbes JA, et al, 139
Bauman JL: see Grawe JJ, et al, 704
Bauman JL: see Winecoff AP, et al, 698
Beaver WT: see Boström AAS, et al, 305
Beaver WT: see Forbes JA, et al, 139
Bednarczyk EM, Adler LP, Remler B, Goyer P, Wiznitzer M, Leisure GP, Little D, Miraldi F: Assessment of the Effects of Ciprofloxacin and Nalidixic Acid on Cerebral Blood Flow and Metabolism in Healthy Subjects by Positron Emission Tomography, 153
Bell WE: see Boström AAS, et al, 305
Bell WE: see Forbes JA, et al, 139
Belliveau PP: see Freeman CD, et al, 185
Berman SL: see Wagner BKJ, et al, 586
Berning SE: see Peloquin CA, et al, 40
Black LD: see Hulisz DT, et al, 239
Blake K: see Sharma R, et al, 215
Bleske BE, Rice TL, Warren EW: An Alternative Sodium Bicarbonate Regimen During Cardiac Arrest and Cardiopulmonary Resuscitation in a Canine Model, 95
Blum MR: see Shelton MJ, 671
Blum RA: see Danziger LH, et al, 235
Bond CA, Pitterle ME, Raehl CL: An Assessment of Recent Pharmacy Graduates' Knowledge and Competency, Professional Practice Functions, and Involvement in Pharmacy Teaching Programs, 712
Bond CA, Raehl CL, Pitterle ME: 1992 National Clinical Pharmacy Services Study, 282
Bond CA: see Pitterle ME, et al, 620
Boström AAS, Forbes JA, Adolfsson C, Beaver WT, Bell WE: Evaluation of Bromfenac and Ibuprofen for Pain After Orthopedic Surgery, 305
Botti RE: see Munger MA, et al, 522
Bourne DWA: see Smith CL, et al, 471
Bourne DWA: see Whipple JK, et al, 105
Bowlby HA, Dickens GR: Angioedema and Urticaria Associated With Omeprazole Confirmed by Drug Rechallenge, 119
Boyle DA: see Wermeling DP, et al, 600
Brackett CC: see Dasta JF, 678
Bradley JW: see Garner SS, et al, 210
Brock MH, Dansereau RJ, Patel VS: Use of In Vitro and In Vivo Data in the Design, Development, and Quality Control of Sustained-Release Decongestant Dosage Forms, 430
Brouwer KL: see Jamerson BD, et al, 47
Brown RO, Hunt H, Mowatt-Larssen CA, Wojtysiak SL, Henningfield MF, Kudsk KA: Comparison of Specialized and Standard Enteral Formulas in Trauma Patients, 314
Brunelle RL: see Goldstein DJ, et al, 54
Bruton JK, Koeller JM: Recombinant Interleukin-2, 635
Bryant SG: see Fisher S, et al, 202
Burchfield WH: see Forbes JA, et al, 139
Butler SC: see Hardin TC, et al, 147

- C -

Caldwell JH: see Hui J, et al, 607
Campbell DJ: see Erstad BL, et al, 458
Carter BL: See Eselin JA, 60
Chandler MHH: see Leader WG, et al, 162
Chandler MHH: see Tsubaki T, 330
Chandler MHH: see Wermeling DP, et al, 600

Chandrasekaran A: see Hui J, et al, 607
Clancy M: see Sharma R, et al, 215
Clifton GD: see Dickens GR, et al, 729
Clifton GD: see Shibley MH, 123
Clifton GD: see Wermeling DP, et al, 600
Cohen LJ: Risperidone, 253
Coleman R: Introduction to the Proteinase Inhibitors, 1S
Coleman R: Overview of Antiretroviral Therapy, 3S
Collura ML: see Paladino JA, et al, 734
Connelly RT, Lourwood DL: *Pneumocystis carinii* Pneumonia Prophylaxis During Pregnancy, 424
Cooper SA: see Goldstein DJ, et al, 54
Cooper TM: see Leader WG, et al, 162
Corder CN: see Patterson JH, et al, 514
Craig LD: see Peloquin CA, et al, 415
Crowe H: see Nicolau DP, et al, 502
Cué JI: see DiPiro JT, 266

- D -

Dansereau RJ: see Brock MH, et al, 430
Danziger LH, Martin SJ, Blum RA: Central Nervous System Toxicity Associated With Meperidine Use in Hepatic Disease, 235
Danziger LH: see Gubbins PO, et al, 463
Dasa SL: see Hulisz DT, et al, 239
Dasta JF, Brackett CC: Defining and Achieving Optimum Therapeutic Goals in Critically Ill Patients, 678
Davis JE: see Fisher S, et al, 202
Decker MJ: see Stanek EJ, et al, 321
Deppe SA: see Sargent AI, et al, 497
Desjardins PJ: see Goldstein DJ, et al, 54
Devitt PA: see Wagner BKJ, et al, 586
Dickens GR, McCoy RA, West R, Stapczynski JS, Clifton GD: Effect of Nebulized Albuterol on Serum Potassium and Cardiac Rhythm in Patients With Asthma or Chronic Obstructive Pulmonary Disease, 729
Dickens GR: see Bowlby HA, 119
DiPiro JT, Cué JI: Single-Agent versus Combination Antibiotic Therapy in the Management of Intraabdominal Infections, 266
Domínguez-Gil A: see Fernández de Gatta MM, et al, 196
Donn KH: see Jamerson BD, et al, 47
Draugalis JR: see Erstad BL, et al, 724
Drew RH: see May DB, et al, 509
Duckworth L: see Sharma R, et al, 215
Dukes GE: see Jamerson BD, et al, 47

- E -

Edquist IA: see Forbes JA, et al, 139
Erstad BL, Campbell DJ, Rollins CJ, Rappaport WD: Albumin and Prealbumin Concentrations in Patients Receiving Postoperative Parenteral Nutrition, 458
Erstad BL, Draugalis JR, Waldrop SM, Scheurer L, Namanny MD: Patients' Perceptions of Increased Pharmacy Contact, 724
Erstad BL, Rappaport WD: Subcapsular Hematoma After Laparoscopic Cholecystectomy, Associated With Ketorolac Administration, 613
Eselin JA, Carter BL: Hypertension and Left Ventricular Hypertrophy: Is Drug Therapy Beneficial?, 60
Etzel JV: Diphenhydramine-Induced Acute Dystonia, 492

- F -

Feild CJ: see Wermeling DP, et al, 600
Fernández de Gatta MM, Fruns I, Domínguez-Gil A: Individualizing Vancomycin Dosing Regimens: An Evaluation of Two Pharmacokinetic Dosing Programs In Critically Ill Patients, 196
Fischer JH: see Grawe JJ, et al, 704
Fisher S, Bryant SG, Kent TA, Davis JE: Patient Drug Attributions and Postmarketing Surveillance, 202
Fletcher CV: see Koehntop DE, et al, 592
Forbes JA, Bates JA., Edquist IA: Burchfield WH, Smith FG, Schwartz MK, Kit V, Hyatt J, Bell WE, and Beaver WT, Evaluation of Two Opioid-Acetaminophen Combinations and Placebo in Postoperative Oral Surgery Pain, 139
Forbes JA: see Boström AAS, et al, 305
Franke T: see Pitterle ME, et al, 620
Freeman CD, Nightingale CH, Nicolau DP, Belliveau PP, Tessier PR, Fu Q, Xuan D, Quintiliani R: Bactericidal Activity of Low-Dose Ceftizoxime Plus Metronidazole Compared With Cefoxitin and Ampicillin-Sulbactam, 185
Frishman WH: see Arnold RJ, et al, 178
Fruns I: see Fernández de Gatta MM, et al, 196
Fu Q: see Freeman CD, et al, 185

- G -

Gagnon S: see Garrelts JC, et al, 438
Gallegos LT: see Goldstein DJ, et al, 54
Garner SS, Wiest DB, Bradley JW: Albuterol Delivery by Metered-Dose Inhaler With a Pediatric Mechanical Ventilatory Circuit Model, 210
Garrelts JC, Horst WD, Silkey B, Gagnon S: A Pharmacoeconomic Model to Evaluate Antibiotic Costs, 438
Gass JS: see Goddard JK, et al, 488
Gaston GW: see Goldstein DJ, et al, 54
George RE: see Goldstein DJ, et al, 54

Geraets DR: see Hui J, et al, 607
Gibaldi M, Sullivan SD: A Look at Cost-Effectiveness, 399
Goddard JK, Janning SW, Gass JS, Wilson RF: Cefuroxime-Induced Acute Renal Failure, 488
Goldberg ME: see Larijani GE, 669
Goldspiel BR: see Kohler DR, 3
Goldstein DJ, Brunelle RL, George RE, Cooper SA, Desjardins PJ, Gaston GW, Jeffers GE, Gallegos LT, Reynolds DC: Picenadol in a Large Multicenter Dental Pain Study, 54
Gonzalez ER, Ornato JP, Lawson CL: Clinical Decision Analysis Modeling: Short-Term Control of Ventricular Response Rate in Atrial Fibrillation or Atrial Flutter—Digoxin versus Diltiazem, 446
Gosland MP: see Baker JL, et al, 246
Goyer P: see Bednarczyk EM, et al, 153
Grawe JJ, Hariman RJ, Winecoff AP, Fischer JH, Bauman JL: Reversal of the Electrocardiographic Effects of Cocaine by Lidocaine. Part 2. Concentration-Effect Relationships, 704
Grawe JJ: see Winecoff AP, et al, 698
Grinblatt MA: see Munger MA, et al, 522
Gubbins PO, Occhipinti DJ, Danziger LH: Surveillance of Treated and Untreated Funguria in a University Hospital, 463
Gums JG: Empathy to Apathy: A Consequence of Higher Education?, 250
Guthrie SK: see Tonda ME, 543

- H -

Haddon T: see Lindley C, et al, 224
Hampton EM: see Smith CL, et al, 471
Hardin TC, Butler SC, Ross S, Wakeford JH, Jorgensen JH: Comparison of Ampicillin-Sulbactam and Ticarcillin-Clavulanic Acid in Patients With Chronic Renal Failure: Effects of Differential Pharmacokinetics on Serum Bactericidal Activity, 147
Hardin TC, Jennings TS: Cefepime, 657
Hariman RJ: see Grawe JJ, et al, 704
Hariman RJ: see Winecoff AP, et al, 698
Heifets L: see Mor N, et al, 100
Heiselman DE: see Hulisz DT, et al, 239
Henningfield MF: see Brown RO, et al, 314
Henshaw TL: see Peloquin CA, et al, 40
Herrington JD: see Baker JL, et al, 246
Hoey LL, Nahum A, Vance-Bryan K: A Prospective Evaluation of Benzodiazepine Guidelines in the Management of Patients Hospitalized for Alcohol Withdrawal, 579
Hoey LL, Nahum A, Vance-Bryan K: A Retrospective Review and Assessment of Benzodiazepines in the Treatment of Alcohol Withdrawal in Hospitalized Patients, 572
Horst WD: see Garrelts JC, et al, 438
Hui J, Wang YMC, Chandrasekaran A, Geraets DR, Caldwell JH, Robertson LW, Reuning RH: Disposition of Tablet and Capsule Formulations of Digoxin in the Elderly, 607
Huitt GA: see Peloquin CA, et al, 40
Hulisz DT, Dasa SL, Black LD, Heiselman DE: Complete Heart Block and Torsade de Pointes Associated With Thioridazine Poisoning, 239
Hunt H: see Brown RO, et al, 314
Hyatt J: see Forbes JA, et al, 139

- I, J, K -

Iklé D: see Peloquin CA, et al, 415
Iseman MD: see Peloquin CA, et al, 415
Jagdishchandra US: see Naidu MUR, et al, 173
Jamerson BD, Dukes GE, Brouwer KL, Donn KH, Messenheimer JA, Powell JR: Venous Irritation Related to Intravenous Administration of Phenytoin versus Fosphenytoin, 47
James GT: see Peloquin CA, et al, 40
James GT: see Peloquin CA, et al, 415
Janning SW: see Goddard JK, et al, 488
Jeffers GE: see Goldstein DJ, et al, 54
Jennings TS: see Hardin TC, 657
Johansen L: see Lindley C, et al, 224
Jorgensen JH: see Hardin TC, et al, 147
Kabani N: see Nasraway SA, et al, 616
Kaniecki DJ: see Arnold RJ, et al, 178
Kasmer RJ: see Munger MA, et al, 522
Kent TA: see Fisher S, et al, 202
Kit V: see Forbes JA, et al, 139
Koehntop DE, Noormohamed SE, Fletcher CV: Effects of Long-Term Drugs on Alfentanil Clearance in Patients Undergoing Renal Transplantation, 592
Koeller JM: see Bruton JK, 635
Kohler DR, Goldspiel BR: Paclitaxel (Taxol), 3
Kraft IA: see Miller LG, 219
Kudsk KA: see Brown RO, et al, 314
Kumar TR: see Naidu MUR, et al, 173
Kuwic RJ: see Sargent AI, et al, 497

- L -

Lamp KC: see Stanley D, et al, 35
Larijani GE, Goldberg ME: Evaluating Postoperative Nausea and Vomiting, 669
Lawrence KR: see Nasraway SA, et al, 616
Lawrence S: see Sharma R, et al, 215
Lawson CL: see Gonzalez ER, et al, 446
Leader WG, Wolf KM, Cooper TM, Chandler MHH: Symptomatology, Pulmonary Function

and Response, and T Lymphocyte β_2-Receptors During Smoking Cessation in Patients With Chronic Obstructive Pulmonary Disease, 162
Leisure GP: see Bednarczyk EM, et al, 153
Lewis KS: see Whipple JK, et al, 105
Lindley C, Sawyer W, Haddon T, Meade J, Nolen J, Johansen L, Roberts H: Comparison of PT, aPTT, and Factor VII Values Obtained by Concurrent Sample Collection by Direct Venipuncture and Peripheral Venous Catheters, 224
Little D: see Bednarczyk EM, et al, 153
Lourwood DL: see Connelly RT, 424

- M -

Marinac JS, Oki JC: Family Leave Policies, Job Share, and Child Care at U.S. Schools and Colleges of Pharmacy, 452
Martin SJ: see Danziger LH, et al, 235
Masse BR: see Patterson JH, et al, 514
May DB, Drew RH, Yedinak KC, Bartlett JA: Effect of Simultaneous Didanosine Administration on Itraconazole Absorption in Healthy Volunteers, 509
McCarthy EA: see Peloquin CA, et al, 415
McCoy RA: see Dickens GR, et al, 729
McGrath BJ, Newman CL: Genital Herpes Simplex Infections in Patients With the Acquired Immunodeficiency Syndrome, 529
McGrath BJ: see Stanley D, et al, 35
Meade J: see Lindley C, et al, 224
Messenheimer JA: see Jamerson BD, et al, 47
Midtbø K: see Aursnes I, 191
Miller LG, Kraft IA: Application of Actigraphy in the Clinical Setting: Use in Children With Attention-Deficit Hyperactivity Disorder, 219
Miller LG: Reimbursement for Pharmacy Cognitive Services and Health Care Reform: Are They Compatible?, 506
Miller LG: Research Guidelines for the Pharm.D. Practitioner, 740
Miller WA: see Scheife RT, 1
Mills JG: see Pipkin GA, et al, 273
Miraldi F: see Bednarczyk EM, et al, 153
Mor N, Vanderkolk J, Heifets L: Accumulation of Clarithromycin in Macrophages Infected With *Mycobacterium avium*, 100
Morse GD: see Shelton MJ, 671
Mowatt-Larssen CA: see Brown RO, et al, 314
Munger MA, Botti RE, Grinblatt MA, Kasmer RJ: Effect of Intravenous Fructose-1,6-Diphosphate on Myocardial Contractility in Patients With Left Ventricular Dysfunction, 522
Munger MA: see Stanek EJ, et al, 321
Murphy S: see Sharma R, et al, 215

- N, O -

Nahum A: see Hoey LL, et al, 572
Nahum A: see Hoey LL, et al, 579
Naidu MUR, Kumar TR, Jagdishchandra US, Babu PA, Rao MM, Babhulkar SS, Rao PT, Risbud Y, Shah R: Evaluation of Ketorolac, Ibuprofen-Paracetamol, and Dextropropoxyphene-Paracetamol in Postoperative Pain, 173
Nair RN: see Stanek EJ, et al, 321
Namanny MD: see Erstad BL, et al, 724
Nara AR: see Stanek EJ, et al, 321
Nasraway SA, Kabani N, Lawrence KR: Thrombolytic Therapy for Pulmonary Embolism: Reversal of Shock in the Early Postoperative Period, 616
Nemeroff CB: The Clinical Pharmacology and Use of Paroxetine a New Selective Serotonin Reuptake Inhibitor, 127
Newman CL: see McGrath BJ, 529
Nicolau DP, Crowe H, Nightingale CH, Quintiliani R: Effect of Continuous Arteriovenous Hemodiafiltration on the Pharmacokinetics of Fluconazole, 502
Nightingale CH: see Freeman CD, et al, 185
Nightingale CH: see Nicolau DP, et al, 502
Nitta AT: see Peloquin CA, et al, 40
Nolen J: see Lindley C, et al, 224
Noormohamed SE: see Koehntop DE, et al, 592
O'Hara DA: see Wagner BKJ, et al, 586
Occhipinti DJ: see Gubbins PO, et al, 463
Oki JC: see Marinac JS, 452
Ornato JP: see Gonzalez ER, et al, 446
Overton: see Sargent AI, et al, 497

- P, Q -

Paladino JA, Rainstein MA, Serrianne DJ, Przylucki JE, Welage LS, Collura ML, Schentag JJ: Ampicillin-Sulbactam versus Cefoxitin for Prophylaxis in High-Risk Patients Undergoing Abdominal Surgery, 734
Patel VS: see Brock MH, et al, 430
Patterson JH, Adams, Jr., KF, Applefeld MM, Corder CN, Masse BR, for the Torsemide Investigators Group: Oral Torsemide in Patients With Chronic Congestive Heart Failure: Effects on Body Weight, Edema, and Electrolyte Excretion, 514
Pederson JA: see Smith CL, et al, 471
Peloquin CA, Henshaw TL, Huitt GA, Berning SE, Nitta AT, James GT: Pharmacokinetic Evaluation of *para*-Aminosalicylic Acid Granules, 40
Peloquin CA, James GT, Craig LD, Kim M, McCarthy EA, Iklé D, Iseman MD: Pharmacokinetic Evaluation of Aconiazide, A Potentially Less Toxic

Isoniazid Prodrug, 415
Pennington LR: see Smith CL, et al, 471
Pipkin GA, Mills JG, Wood JR: Does Ranitidine Affect Blood Alcohol Concentrations?, 273
Pitel P: see Sharma R, et al, 215
Pitterle ME, Bond CA, Raehl CA, Franke T: Hospital and Pharmacy Characteristics Associated With Mortality Rates in United States Hospitals, 620
Pitterle ME: see Bond CA, et al, 282
Pitterle ME: see Bond CA, et al, 712
Plaisance KI: see Wiland AM, et al, 89
Pollard RB: Use of Proteinase Inhibitors in Clinical Practice, 215
Portmore A: see Shelton MJ, 671
Powell JR: see Jamerson BD, et al, 47
Przylucki JE: see Paladino JA, et al, 734
Quebbeman EJ: see Whipple JK, et al, 105
Quintiliani R: see Freeman CD, et al, 185
Quintiliani R: see Nicolau DP, et al, 502

- R -

Raehl CA: see Pitterle ME, et al, 620
Raehl CL: see Bond CA, et al, 282
Raehl CL: see Bond CA, et al, 712
Rainstein MA: see Paladino JA, et al, 734
Rao MM: see Naidu MUR, et al, 173
Rao PT: see Naidu MUR, et al, 173
Rappaport WD: see Erstad BL, 613
Rappaport WD: see Erstad BL, et al, 458
Record KE: see Baker JL, et al, 246
Reed K: see Tornatore KM, et al, 111
Reichman RC: see Shelton MJ, 671
Remillard AJ: A Pilot Project to Assess the Association of Anticholinergic Symptoms With Anticholinergic Serum Levels in the Elderly, 482
Remler B: see Bednarczyk EM, et al, 153
Reuning RH: see Hui J, et al, 607
Reynolds DC: see Goldstein DJ, et al, 54
Rice TL: see Bleske BE, et al, 95
Risbud Y: see Naidu MUR, et al, 173
Roberts H: see Lindley C, et al, 224
Robertson LW: see Hui J, et al, 607
Rollins CJ: see Erstad BL, et al, 458
Rybak MJ: see Stanley D, et al, 35

- S -

Sadler BM: see Shelton MJ, 671
Sargent AI, Overton CC, Kuwik RJ, Varcelotti JR, Deppe SA: Octreotide-Induced Hyperkalemia, 497
Sasse EA: see Whipple JK, et al, 105
Sawyer W: see Lindley C, et al, 224
Scheife RT, Miller WA: Editorial, 1
Schentag JJ: see Paladino JA, et al, 734
Scheurer L: see Erstad BL, et al, 724
Schraa CC: see Small RE, 385
Schwalbe RS: see Wiland AM, et al, 89
Schwartz MK: see Forbes JA, et al, 139
Serrianne DJ: see Paladino JA, et al, 734
Shah R: see Naidu MUR, et al, 173
Sharma R, Blake K, Murphy S, Clancy M, Duckworth L, Pitel P, Lawrence S: The Effect of Short-Term Administration of Theophylline on Erythropoietin Levels in Healthy Adults, 215
Shelton MJ, Portmore A, Blum MR, Sadler BM, Reichman RC, Morse GD: Prolonged, But Not Diminished, Zidovudine Absorption Induced by a High-Fat Breakfast, 671
Shibley MH, Clifton GD: Febrile Reaction Associated With Urokinase, 123
Silkey B: see Garrelts JC, et al, 438
Skaehill PA: seeThompson DF, 561
Small RE, Schraa CC: Chemistry, Pharmacology, Pharmacokinetics, and Clinical Applications of Mesalamine for the Treatment of Inflammatory Bowel Disease, 385
Smith CL, Hampton EM, Pederson JA, Pennington LR, Bourne DWA: Clinical and Medicoeconomic Impact of the Cyclosporine-Diltiazem Interaction in Renal Transplant Recipients, 471
Smith DA: see Wermeling DP, et al, 600
Smith FG: see Forbes JA, et al, 139
Stanek EJ, Nara AR, Strohl KP, Nair RN, Decker MJ, Munger MA: Effect of Long-Term Angiotensin-Converting Enzyme Inhibitor Therapy on Arterial Oxygen Saturation in Patients With Mild to Moderate Heart Failure, 321
Stanley D, McGrath BJ, Lamp KC, Rybak MJ: Effect of Human Serum on Killing Activity of Vancomycin and Teicoplanin against *Staphylococcus aureus*, 35
Stapczynski JS: see Dickens GR, et al, 729
Strohl KP: see Stanek EJ, et al, 321
Sullivan SD: see Gibaldi M, 399

- T, U, V -

Tessier PR: see Freeman CD, et al, 185
Thompson DF, Skaehill PA: Drug-Induced Lichen Planus, 561
Thornberg SA: A Personal Suggestion for Health Care Reform, 631
Tonda ME, Guthrie SK: Treatment of Acute Neuroleptic-Induced Movement Disorders, 543
Tornatore KM, Reed K, Walshe JJ, Venuto RC: Cortisol Pharmacodynamic Response to Long-Term Methylprednisolone in Renal Transplant

Recipients, 111
Torsemide Investigators Group: see Patterson JH, et al, 514
Tsubaki T, Chandler MHH: Evaluating New and Traditional Methods for Aminoglycoside Dosing in Patients With Various Degrees of Renal Function, 330
Tsung FW: see Ackerman BH, 126
Vance-Bryan K: see Hoey LL, et al, 572
Vance-Bryan K: see Hoey LL, et al, 579
Vanderkolk J: see Mor N, et al, 100
Varcelotti JR: see Sargent AI, et al, 497
Venuto RC: see Tornatore KM, et al, 111

- W,X, Y, Z -

Wagner BKJ, Berman SL, Devitt PA, O'Hara DA: Retrospective Analysis of Postoperative Nausea and Vomiting to Determine Antiemetic Activity of Droperidol Added to Propofol: A Possible Drug Interaction, 586
Wakeford JH: see Hardin TC, et al, 147
Waldrop SM: see Erstad BL, et al, 724
Walker-Renard P: Empathy to Apathy: A Consequence of Higher Education? A Commentary, 508
Walshe JJ: see Tornatore KM, et al, 111
Wang Y: see Winecoff AP, et al, 698
Wang YMC: see Hui J, et al, 607
Warren EW: see Bleske BE, et al, 95
Weitman SD: see Whipple JK, et al, 105
Welage LS: see Paladino JA, et al, 734
Wermeling DP, Feild CJ, Smith DA, Chandler MHH, Clifton GD, Boyle DA: Effects of Long-Term Oral Carvedilol on the Steady-State Pharmacokinetics of Oral Digoxin in Patients With Mild to Moderate Hypertension, 600
West R: see Dickens GR, et al, 729
Whipple JK, Lewis KS, Weitman SD, Ausman RK, Bourne DWA, Andrews W, Adams MB, Sasse EA, Quebbeman EJ: Pharmacokinetic Evaluation of a New Oral Cyclosporine Formulation, 105
Wiest DB: see Garner SS, et al, 210
Wiland AM, Plaisance KI, Schwalbe RS: In Vitro Evaluation of High-Level, Gentamicin-Resistant Enterococci Isolated from Bacteremic Patients, 89
Wilson RF: see Goddard JK, et al, 488
Winecoff AP, Hariman RJ, Grawe JJ, Wang Y, Bauman JL: Reversal of the Electrocardiographic Effects of Cocaine by Lidocaine. Part 1. Comparison with Sodium Bicarbonate and Quinidine, 698
Winecoff AP: see Grawe JJ, et al, 704
Wiznitzer M: see Bednarczyk EM, et al, 153
Wlodawer A: Rational Drug Design: The Proteinase Inhibitors, 9S
Wojtysiak SL: see Brown RO, et al, 314
Wolf KM: see Leader WG, et al, 162
Wood JR: see Pipkin GA, et al, 273
Wright JM: Review of the Symptomatic Treatment of Diabetic Neuropathy, 689
Xuan D: see Freeman CD, et al, 185
Yedinak KC: see May DB, et al, 509

- A -

Academic reviewers, 1994, acknowledgement of, 771
ACCP 1994 Annual Meeting: abstracts and index of authors, 345
ACCP: the strategic plan of the American College of Clinical Pharmacy, 1994–1996, 337
ACCP White Paper: establishing and evaluating clinical pharmacy services in primary care, 743
Aconiazide, a potentially less toxic isoniazid prodrug, pharmacokinetic evaluation of, 415
Actigraphy, application of in the clinical setting: use in children with attention-deficit hyperactivity disorder, 219
Acute dystonia, diphenhydramine-induced 492
Albumin and prealbumin concentrations in patients receiving postoperative parenteral nutrition, 458
Albuterol delivery by metered-dose inhaler with a pediatric mechanical ventilatory circuit model, 210
Albuterol, effect of nebulized on serum potassium and cardiac rhythm in patients with asthma or chronic obstructive pulmonary disease, 729
Alfentanil clearance in patients undergoing renal transplantation, effects of long-term drugs on, 592
Aminoglycoside dosing in patients with various degrees of renal function, evaluating new and traditional methods, 330
Ampicillin-sulbactam and cefoxitin, compared with ceftizoxime plus metronidazole (low-dose), bactericidal activity of, 185
Ampicillin-sulbactam and ticarcillin-clavulanic acid, comparison of in patients with chronic renal failure: effects of differential pharmacokinetics on serum bactericidal activity, 147
Ampicillin-sulbactam versus cefoxitin for prophylaxis in high-risk patients undergoing abdominal surgery, 734
Angina (effort), correlations of quality of life variables and exercise test with clinical improvement in, 191
Angioedema and urticaria associated with omeprazole confirmed by drug rechallenge, 119
Angiotensin-converting enzyme inhibitor therapy, effect of long-term treatment on arterial oxygen saturation in patients with mild to moderate heart failure, 321
Antibiotic costs, a pharmacoeconomic model to evaluate, 438
Anticholinergic symptoms, association of with anticholinergic serum levels in the elderly, a pilot project to assess, 482
Antihypertensive agents, cost-effectiveness of in patients with reduced left ventricular function, 178
Antiretroviral therapy, an overview, 3S
aPTT, PT, and Factor VII, comparison of values obtained by concurrent sample collection by direct venipuncture and peripheral venous catheters, 224
Attention-deficit hyperactivity disorder, application of actigraphy in the clinical setting: use in children with, 219

- B, C -

Benzodiazepine guidelines in the management of patients hospitalized for alcohol withdrawal, a prospective evaluation of, 579
Benzodiazepines in the treatment of alcohol withdrawal in hospitalized patients, a retrospective review and assessment of, 572
Blood alcohol concentrations, does ranitidine affect them?, 273
Bromfenac and ibuprofen, evaluation of for pain after orthopedic surgery, 305
Cardiac arrest and cardiopulmonary resuscitation in a canine model, an alternative sodium bicarbonate regimen during, 95
Cardiopulmonary resuscitation and cardiac arrest and in a canine model, an alternative sodium bicarbonate regimen during, 95
Carvedilol, effects of long-term oral on the steady-state pharmacokinetics of oral digoxin in patients with mild to moderate hypertension, 600
Cefepime, pharmacology, toxicology, and clinical use of, 657
Cefoxitin and ampicillin-sulbactam compared with ceftizoxime plus metronidazole (low-dose), bactericidal activity of, 185
Cefoxitin versus ampicillin-sulbactam for prophylaxis in high-risk patients undergoing abdominal surgery, 734
Ceftizoxime plus metronidazole (low-dose) compared with cefoxitin and ampicillin-sulbactam, bactericidal activity of, 185
Cefuroxime-induced renal failure, 488
Central nervous system toxicity associated with meperidine use in hepatic disease, 235
Cerebral blood flow and metabolism in healthy subjects, effects of nalidixic acid and ciprofloxacin on, assessment by positron emission tomography, 153
Child care, family leave policies, and job share, at

U.S. schools and colleges of pharmacy, 452
Chronic obstructive pulmonary disease, symptomatology, pulmonary function and response, and T lymphocyte β_2-receptors during smoking cessation, in patients with, 162
Ciprofloxacin and nalidixic acid, assessment of the effects of on cerebral blood flow and metabolism in healthy subjects by positron emission tomography, 153
Clarithromycin, accumulation of in macrophages infected with *Mycobacterium avium*, 100
Clinical decision analysis modeling: short-term control of ventricular response rate in atrial fibrillation or atrial flutter—digoxin versus diltiazem, 446
Clinical pharmacy services study, 1992 national, 282
Cocaine, reversal of electrocardiographic effects of by lidocaine. Part 1. comparison with sodium bicarbonate and quinidine, 698
Cocaine, reversal of electrocardiographic effects of by lidocaine. Part 2. concentration-effect relationships, 704
Cognitive services, pharmacy, reimbursement for and health care reform: are they compatible?, 506
Complete heart block and torsade de pointes associated with thioridazine poisoning, 239
Continuous arteriovenous hemodiafiltration, effect of on the pharmacokinetics of fluconazole, 502
Cortisol pharmacodynamic response to long-term methylprednisolone in renal transplant recipients, 111
Cost-effectiveness of antihypertensive agents in patients with reduced left ventricular function, 178
Cost-effectiveness, a look at, 399
Critically ill patients, defining and achieving optimum therapeutic goals in, 678
Cyclosporine, pharmacokinetic evaluation of a new oral formulation, 105
Cyclosporine-diltiazem interaction in renal transplant recipients, medicoeconomic and clinical impact of, 471
Cytomegalovirus colitis after 5-fluorouracil and interferon-α therapy, 246

- D -

Decongestant dosage forms, sustained-release, use of in vitro and in vivo data in the design, development, and quality control of, 430
Dental pain, picenadol in a large multicenter study, 54
Dextropropoxyphene-paracetamol, ketorolac, and ibuprofen-paracetamol, in postoperative pain, evaluation of, 173
Diabetic neuropathy, review of the symptomatic treatment of, 689
Didanosine, effect of simultaneous administration on itraconazole absorption in healthy volunteers, 509
Digoxin versus diltiazem, clinical decision analysis modeling: short-term control of ventricular response rate in atrial fibrillation or atrial flutter, 446
Digoxin, disposition of tablet and capsule formulations of in the elderly, 607
Digoxin, effects of long-term oral carvedilol on the steady-state pharmacokinetics of, in patients with mild to moderate hypertension, 600
Diltiazem versus digoxin, clinical decision analysis modeling: short-term control of ventricular response rate in atrial fibrillation or atrial flutter, 446
Diltiazem-cyclosporine interaction in renal transplant recipients, medicoeconomic and clinical impact of, 471
Diphenhydramine-induced acute dystonia, 492
Droperidol added to propofol, retrospective analysis of to determine antiemetic activity of in the treatment of postoperative nausea and vomiting, 586

- E, F, G -

Editorial, changes at *Pharmacotherapy*, 1
Electrocardiographic effects of cocaine, reversal by lidocaine. Part 1. comparison with sodium bicarbonate and quinidine, 698
Electrocardiographic effects of cocaine, reversal by lidocaine. Part 2. concentration-effect relationships, 704
Empathy to apathy: a consequence of higher education? a commentary, 508
Empathy to apathy: a consequence of higher education?, 250
Enteral formulas in trauma patients, comparison of specialized and standard, 314
Erythropoietin levels in healthy adults, the effect of short-term administration of theophylline on, 215
Exercise test and quality of life variables, correlations of with clinical improvement in effort angina, 191
Factor VII, PT, and aPTT, comparison of values obtained by concurrent sample collection by direct venipuncture and peripheral venous catheters, 224
Family leave policies, job share, and child care at U.S. schools and colleges of pharmacy, 452

Fluconazole, effect of continuous arteriovenous hemodiafiltration on the pharmacokinetics of, 502
Fluorouracil and interferon-α therapy, cytomegalovirus colitis after, 246
Fosphenytoin versus phenytoin, venous irritation related to intravenous administration of, 47
Fructose-1,6-diphosphate, intravenous, effect of on myocardial contractility in patients with left ventricular dysfunction, 522
Funguria, surveillance of treated and untreated in a university hospital, 463
Gentamicin-resistant enterococci isolated from bacteremic patients, in vitro evaluation of high-level, 89

- H, I, J -

Health care reform and reimbursement for pharmacy cognitive services: are they compatible? 506
Health care reform, a personal suggestion for, 631
Herpes simplex infections, genital, in patients with the acquired immunodeficiency syndrome, 529
High-level, gentamicin-resistant enterococci isolated from bacteremic patients, in vitro evaluation of, 89
Hyperkalemia, octreotide-induced, 497
Hypertension and left ventricular hypertrophy: Is drug therapy beneficial?, 60
Ibuprofen and bromfenac, evaluation of for pain after orthopedic surgery, 305
Ibuprofen-paracetamol, ketorolac, and dextropropoxyphene-paracetamol in postoperative pain, evaluation of, 173
Inflammatory bowel disease, use of mesalamine in, 385
Interferon-α and 5-fluorouracil therapy, cytomegalovirus colitis after, 246
Interleukin-2, recombinant, pharmacology, toxicology, and clinical use of, 635
Intraabdominal infections, single-agent versus combination antibiotic therapy in the management of, 266
Itraconazole absorption in healthy volunteers, effect of simultaneous administration of didanosine on, 509
Job share, family leave policies, and child care at U.S. schools and colleges of pharmacy, 452

- K, L, M -

Ketorolac administration, subcapsular hematoma associated with after laparoscopic cholecystectomy, 613
Ketorolac, ibuprofen-paracetamol, and dextropropoxyphene-paracetamol in postoperative pain, evaluation of, 173
Left ventricular hypertrophy and hypertension: Is drug therapy beneficial?, 60
Lichen planus, drug-induced, 561
Medicoeconomic and clinical impact of the cyclosporine-diltiazem interaction in renal transplant recipients, 471
Meperidine use in hepatic disease, central nervous system toxicity associated with, 235
Mesalamine, chemistry, pharmacology, pharmacokinetics, and clinical applications of for the treatment of inflammatory bowel disease, 385
Metered-dose inhaler, albuterol delivery by with a pediatric mechanical ventilatory circuit model, 210
Methylprednisolone, pharmacodynamic response of cortisol in renal transplant recipients to, 111
Mortality rates in united states hospitals, hospital and pharmacy characteristics associated with, 620
Movement disorders, neuroleptic-induced, treatment of acute, 543
Mycobacterium avium, accumulation of clarithromycin in macrophages infected with, 100

- N, O, P, Q -

Nalidixic acid and ciprofloxacin, assessment of the effects of on cerebral blood flow and metabolism in healthy subjects by positron emission tomography, 153
Nausea and vomiting, evaluating postoperative, 669
Nausea and vomiting, postoperative, retrospective analysis of to determine antiemetic activity of droperidol added to propofol: a possible drug interaction, 586
Neuroleptic-induced movement disorders, treatment of acute, 543
Octreotide-induced hyperkalemia, 497
Omeprazole, urticaria and angioedema associated with, confirmed by drug rechallenge, 119
Oral surgery pain, postoperative, evaluation of two opioid-acetaminophen combinations and placebo in, 139
Paclitaxel (Taxol), current clinical uses of, 3
Para-aminosalicylic acid granules, pharmacokinetic evaluation of, 40
Paroxetine, a new selective serotonin reuptake inhibitor, the clinical pharmacology and use of, 127
Patients' perceptions of increased pharmacy contact, 724
Pharmacy graduates' (recent) knowledge and

competency, professional practice functions, and involvement in pharmacy teaching programs, an assessment of, 712
Phenytoin versus fosphenytoin, venous irritation related to intravenous administration of 47
Picenadol in a large multicenter dental pain study, 54
Pneumocystis carinii pneumonia prophylaxis during pregnancy, 424
Positron emission tomography, assessment of effects of nalidixic acid and ciprofloxacin on cerebral blood flow and metabolism in healthy subjects, 153
Postmarketing surveillance, patient drug attributions and, 202
Postoperative nausea and vomiting, evaluating, 669
Pregnancy, *Pneumocystis carinii* pneumonia prophylaxis during, 424
Primary care, establishing and evaluating clinical pharmacy services in, American College of Clinical Pharmacy, 743
Propofol added to droperidol, retrospective analysis of to determine antiemetic activity of in the treatment of postoperative nausea and vomiting, 586
Proteinase inhibitors, introduction to, 1S
Proteinase inhibitors, rational drug design, 9S
Proteinase inhibitors, use in clinical practice, 21S
PT, aPTT and Factor VII, comparison of values obtained by concurrent sample collection by direct venipuncture and peripheral venous catheters, 224
Quality of life variables and exercise test, correlations of with clinical improvement in effort angina, 191

- R, S -

Ranitidine, does it affect blood alcohol concentrations?, 273
Red-top tubes do not displace drug from protein-binding sites, 126
Renal failure, cefuroxime-induced, 488
Research guidelines for the Pharm.D. practitioner, 740
Resperidone, chemistry, pharmacology, toxicology, and clinical use of, 253
Reviewers, academic, acknowledgement of for 1994, 771
Smoking cessation, symptomatology, pulmonary function and response, and t lymphocyte β_2-receptors during in patients with chronic obstructive pulmonary disease, 162
Sodium bicarbonate regimen during cardiac arrest and cardiopulmonary resuscitation in a canine model, an alternative, 95
Staphylococcus aureus, effect of human serum on killing activity of teicoplanin and vancomycin against, 35
Sustained-release decongestant dosage forms, use of in vitro and in vivo data in the design, development, and quality control of, 430

- T, U, V, W, X, Y, Z -

Taxol, current clinical uses of, 3
Teicoplanin and vancomycin, effect of human serum on killing activity of against *Staphylococcus aureus*, 35
The strategic plan of the American College of Clinical Pharmacy, 1994–1996, 337
Theophylline, the effect of short-term administration of on erythropoietin levels in healthy adults, 215
Thioridazine poisoning, complete heart block and torsade de pointes associated with, 239
Thrombolytic therapy for pulmonary embolism: reversal of shock in the early postoperative period, 616
Ticarcillin-clavulanic acid and ampicillin-sulbactam, comparison of in patients with chronic renal failure: effects of differential pharmacokinetics on serum bactericidal activity, 147
Torsade de pointes and complete heart block associated with thioridazine poisoning, 239
Torsemide (oral) in patients with chronic congestive heart failure: effects on body weight, edema, and electrolyte excretion, 514
Trauma patients, comparison of specialized and standard enteral formulas in, 314
Tubes, red-top, do not displace drug from protein-binding sites, 126
Urokinase, febrile reaction associated with, 123
Urticaria and angioedema associated with omeprazole confirmed by drug rechallenge, 119
Vancomycin and teicoplanin, effect of human serum on killing activity of against *Staphylococcus aureus*, 35
Vancomycin dosing regimens, individualizing: an evaluation of two pharmacokinetic dosing programs in critically ill patients, 196
Venous irritation related to intravenous administration of phenytoin versus fosphenytoin, 47
Zidovudine, prolonged but not diminished absorption induced by a high-fat breakfast, 671